

Translation, original language: German

# CERTIFICATE

## (1) EU-Type Examination

(2) **Equipment or protective systems intended for use in potentially explosive atmospheres - Directive 2014/34/EU**

(3) EU-Type Examination Certificate Number: **KEMA 06ATEX0024** Issue Number: **5**

(4) Product: **Blanking Element, Type V and Thread Adapter, Type RSD**

(5) Manufacturer: **Hummel AG**

(6) Address: **Lise-Meitner-Straße 2, 79211 Denzlingen, Germany**

(7) This product and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

(8) DEKRA Certification B.V., Notified Body number 0344 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that this product has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of products intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential test report number NL/DEK/ExTR11.0041/02.

(9) Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

**EN 60079-0 : 2012 + A11**  
**EN 60079-31 : 2014**

**EN 60079-1 : 2014**

**EN 60079-7 : 2015**

except in respect of those requirements listed at item 18 of the Schedule.

(10) If the sign "X" is placed after the certificate number, it indicates that the product is subject to the Specific Conditions of Use specified in the schedule to this certificate.

(11) This EU-Type Examination Certificate relates only to the design and construction of the specified product. Further requirements of the Directive apply to the manufacturing process and supply of this product. These are not covered by this certificate.

(12) The marking of the product shall include the following:



**II 2 G Ex db eb IIC Gb**  
**II 1 D Ex ta IIIC Da**

Date of certification: 19 July 2017

DEKRA Certification B.V.

T. Pijpker  
Certification Manager

Page 1/2



© Integral publication of this certificate and adjoining reports is allowed. This Certificate may only be reproduced in its entirety and without any change.

(13) **SCHEDULE**

(14) **to EU-Type Examination Certificate KEMA 06ATEX0024**

Issue No. 5

(15) **Description**

Blanking Element, Type V in nickel plated brass or stainless steel with external thread sizes M12 to M63 and  $\frac{3}{8}$ " NPT to 1  $\frac{1}{2}$ " NPT and Thread Adapter, Type RSD in nickel plated brass or stainless steel with external thread sizes M16 to M63.

The blanking elements and thread adapters can be used for enclosures in type of protection flameproof enclosures "db", increased safety "eb" or equipment dust ignition protection by enclosure "ta".

Operating temperature range: -20 °C to +95 °C (NBR o-ring)  
-20 °C to +180 °C (FPM o-ring)  
-60 °C to +180 °C (VQM o-ring)

The blanking elements and thread adapters provide a degree of ingress protection of IP66/68 (1 MPa (10 bar) for 30 min.) in accordance with EN 60079-0 and EN 60529.

**Installation instructions**

The instructions provided with the product shall be followed in detail to assure safe operation.

(16) **Report Number**

No. NL/DEK/ExTR11.0041/02.

(17) **Specific conditions of use**

None.

(18) **Essential Health and Safety Requirements**

Covered by the standards listed at item (9).

(19) **Test documentation**

As listed in Report No. NL/DEK/ExTR11.0041/02.

(20) **Certificate history**

Issue 0 -	208848500	initial certificate blanking element
Issue 1 -	210127700	addition of thread adapter
Issue 2 -	210690000	standard upgrade
Issue 3 -	214150200	standard upgrade
Issue 4 -	217251500	standard upgrade
Issue 5 -	221754600	standard upgrade