


# EXIOS +A2F nickel plated brass

Item number 1608520370



## Technical data

<b>Material</b>	Nickel-plated brass
<b>Seal</b>	VMQ (silicone)
<b>Material o-ring</b>	VMQ (silicone)
<b>Clamping insert</b>	Polyamide 6
<b>Protection class</b>	IP 66 , IP 67 , IP 68 - 5bar/30min
<b>Ex-protection level</b>	Class I Div 2 Groups A,B,C,D , Class II Div 1 Groups E,F,G , II 1D Ex ta IIIC Da , II 2G Ex db eb IIC Gb
<b>Temperature range</b>	-60°C to +105°C
<b>Variant</b>	NPT
<b>External thread (AG)</b>	NPT 2 1/2"
<b>Size</b>	63
<b>A1</b>	51 - 61 mm
<b>Thread length (GL)</b>	40 mm
<b>Height (H)</b>	70.3 mm
<b>Wrench size (SW1/SW2)</b>	80/80 mm
<b>D</b>	90 mm

# EXIOS +A2F nickel plated brass

Item number 1608520370

Tightening torque 65 Nm

# EXIOS +A2F nickel plated brass

Item number 1608520370

## Commercial data

Packaging Unit	1
EAN code	4033878429105
Weight	1.2742 kg
ETIM 7	EC000441
ETIM 8	EC000441
ETIM 9	EC000441
eCl@ss 10.1	27-14-44-34
Customs tariff number	74198090

Note:

